

PRODUCT RANGE

PASSION TO PERFORM

PASSION CREATES OUR HISTORY

From almost years MP Filtri is an Italian multinational company specialising in the hydraulic sector, founded by Bruno Pasotto.

Most of the production is carried out in Italy. It currently has trading and operational subsidiaries in Germany, France, United Kingdom, the United States, Canada, Russia, India, China, Singapore and UAE and a global network of retailers and distributors in over **100 countries**.

Over highly qualified people are employed across the world. There are two production facilities in Italy and one in United Kingdom. **20 per cent of our products** satisfy the needs of customers in the Italian market, while the remaining **80 per cent goes to the international customers**.





The sectors that MP Filtri's products are aimed at range from industrial to mobile operating machines, such as earthmoving machinery, wind turbine generators and machinery for the plastic industry made by the most prestigious global manufacturers.



HYDRAULIC FILTRATION PRODUCT RANGE



SUCTION FILTERS AND STRAINERS

FLOW RATES max 1000 I/min 264 gpm

Suction filters and Strainers protect pumps from contamination, while also providing additional flow diffusion in the suction line.



FLOW RATES max 3500 I/min 925 gpm - PRESSURE max 20 bar 290 psi

Return filters perform the task of filtering fluid and preventing particles from entering the system externally or from internal wear and tear of components.



RETURN/SUCTION FILTERS

FLOW RATES max 250 I/min 66 gpm - PRESSURE max 80 bar 1160 psi

Hydraulic combined filters for installation on the return and suction lines of hydrostatic transmissions (HSTs) for commercial vehicles, construction machinery, agricultural vehicles, and mobile work equipment with a hydrostatic drive.



SPIN-ON FILTERS

FLOW RATES max 365 I/min 96 gpm - PRESSURE max 35 bar 508 psi

Spin-on filters are used as process and safety filters to protect individual pumps, valves or the entire hydraulic circuit from contamination.



LOW & MEDIUM PRESSURE FILTERS

FLOW RATES max 4500 I/min 1189 gpm - PRESSURE max 80 bar 1160 psi

Low and medium pressure filters are used as process filters to protect pumps, pressure reducers and the most sensitive hydraulic system components from contamination.



HIGH PRESSURE FILTERS

FLOW RATES max 630 I/min 166 gpm - PRESSURE max 560 bar 8122 psi

High pressure filters are designed to withstand the maximum pressure of the system and are sized according to the specific flow rate required. They offer exceptional protection to sensitive components downstream of the filters.



STAINLESS STEEL FILTERS

FLOW RATES max 160 I/min 42 gpm - PRESSURE max 1000 bar 14504 psi

Stainless steel construction ensures peak protection when operating in corrosive environments or aggressive fluids. High pressure stainless steel filters are used to protect individual valves or the entire hydraulic circuit from contamination.



CLOGGING INDICATORS

Maximum filter element Dirt Holding Capacity (DHC) and life are achieved with the use of clogging indicators.

These devices signal when the clogging causes an increase in pressure drop across the filter element.

CONTAMINATION MONITORING PRODUCTS



Portable Particle Counters

Portable solutions to automatically measure and display particulate contamination, moisture and temperature levels a in variety of hydraulic fluids.

Inline Contamination Monitors

A complete range of products to count particles, designed specifically to be mounted directly to systems, where ongoing measurement or analysis are required.



Sampling Analysis Kit

Kit for fluid sampling and the visual and digital analysis of solid contaminants. The bottle samplers are suitable for our portable devices.

Mobile Filtration Units FLOW RATES max 180 I/min 48 gpm

Mobile transfer and filtration units are the perfect solution for the oil maintenance of lubrication and hydraulic fluids in off-line filtration applications.

PRODUCT RANGE

BELL-HOUSING

Bell-Housings are used as connecting elements between IEC electric motors and a wide range of hydraulic pumps available on the international market.



COUPLINGS

Drive couplings provide the means by which power is transmitted from the electric motor to the hydraulic pump.



ACCESSORIES

Our accessories line completes the range, adding value and features to the motor pump unit. It includes by Foot brackets - PDMA, Damping rings ANMA and Damping rods - MPDR, Cleaning covers.



TANK ACCESSORIES

- STRAINERS
- AIR BREATHERS AND FILLER PLUGS
- FILLER AND DRAINER PLUGS
- VISUAL OIL LEVEL INDICATORS
- ELECTRICAL OIL LEVEL INDICATORS
- ACCESSORIES







